		IW	
Notice of Allowability	Application No.	Applicant(s)	
	10/709,816	MILLER, ROBERT O	21 ENN
	Examiner	Art Unit	CEININ
	Stephen F. Husar	2875	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.  1. This communication is responsive to the amdt received 7/24/06.			
2.   The allowed claim(s) is/are 1-5 and 8-20.			
3. Acknowledgment is made of a claim for foreign priority of a last priority of a last priority documents have a last prior	re been received. re been received in Application I ocuments have been received in " of this communication to file a	No n this national stage applicati	
4.  A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which give	nitted. Note the attached EXAM ves reason(s) why the oath or de	INER'S AMENDMENT or NO eclaration is deficient.	OTICE OF
<ol> <li>CORRECTED DRAWINGS ( as "replacement sheets") mu         <ul> <li>(a) including changes required by the Notice of Draftsper</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in</li> </ul> </li> </ol>	rson's Patent Drawing Review ( r's Amendment / Comment or in 1.84(c)) should be written on the	the Office action of	back) of
DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	osit of BIOLOGICAL MATER	IAL must be submitted. N	ote the
Attachment(s)  1. ☐ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Sum Paper No./Ma 7. ☐ Examiner's An	mal Patent Application Imary (PTO-413), Inale Inendment/Comment Index at the state of Reasons for Allow	vance

Application/Control Number: 10/709,816

Art Unit: 2875

## **REASONS FOR ALLOWANCE**

1. The following is an examiner's statement of reasons for allowance:
The prior art when taken separately or combined fails to teach and/or show a light fixture having a night light that is always on and a safety light comprising two bulbs that provides more light than the night light the safety light is activated by a sensor that detects the presence of person within the area illuminated by the safety light and is turned off when the person is no longer detected in the area.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen F. Husar whose telephone number is 571-272-2371. The examiner can normally be reached on Mon-Fri from 6:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sandra O'Shea can be reached on 571-272-2378.

Art Unit: 2875

The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Stephen F. Husar Primary Examiner Art Unit 2875

SFH